

10/084844(1631)



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/084,844	02/25/2002	Juan Yguerabide	IVGN 402 (L)	7432
65482 7590 06/27/2007 INVITROGEN CORPORATION C/O INTELLEVATE P.O. BOX 52050 MINNEAPOLIS, MN 55402			EXAMINER YU, MELANIE J	
			ART UNIT 1641	PAPER NUMBER
			MAIL DATE 06/27/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



10/084844 (1631)

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

### NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 2/25/2002 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 27a- 27f are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figure 5c is contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

#### **Return Corrected Drawings/Specification to:**

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division  
Customer Service: 571-272-4200  
1-888-786-0101

FORM PTO-1631 (REV. 10-03)